


Checkin	g the wir	ing and Conne	ections
wsc	Signal	Signal Type	Circuit T
		. Junial Lyoe	

wsc	Signal	Signal Signal Type	Circuit Tester Measurement			Management (Display)	Mathad of Connection
Cord Color	Color Name Signal Type	Range	$\oplus$	0	Measurement (Display)	Method of Connection	
Red	IG⊕12V	⊕1 2V with the key switch ON	DČV	Wiring at the back of key switch	Mouth of cigarette lighter socket	Key switch OFF = 0V Key Switch ON =⊕12V	Use Wire Connector and connect firmly
White	Water Spray Signal	Specified wiring of timer unit (See Diagram Below)	DCV	Specified wiring	Mouth of cigarette lighter socket	Water Spray Switch OFF = 0V ON =⊕12V	UseWire Connector and connect firmly
Green	(IG⊕12V)	⊕1 2V with the key switch ON	DCV	DCV The same as the red cord		Same position as red cord is possible	Use Wire Connector and connect firmly
Black	(Body earth)	(Screw which ) is grounded )	Ω	Mouth of cigarette lighter socket	Screw to which you want to fasten	Conductivity Present (about 0 Ω)	Connect together firmly


# How to use the Wire Connectors

\* If soldering is possible, please do so.




\*Use a crushing tool to press the wire connector. If you do not have such a tool, use pliers or such to fold and crush the connector together for a secure contact. \*Loose connections can cause wire to come apart, so please make sure the connection is secure.

Be sure to insulate and secure with vinyl electrical tape.



### Contents of Set










User's Guide



WSC Main Unit Double-sided  $tape \times 2$ 

Wire Connectors x 2

Spare Fuse 10A






diagram picture below. View from here WSC white cord




Be sure to adjust the Slide Switch.

When installing in a Lancer Evolution I~VII, MAKE SURE to adjust the SLIDE SWITCH at the rear of the unit to the RIGHT



Adjust the Detection Switch all the way to the left.

When installing in a Lancer Evolution I~VII, MAKE SURE to adjust the DETECTION SWITCH all the way to the FAR LEFT (See diagram at right)



### Checking the Wiring and Connections

WSC	Card Calar   Nama   Signal IVDE	Circuit Tester Measurement			Management (Display)	Mathad of Compation	
Cord Color		Range	<b>⊕</b>	$\oplus$	Measurement (Display)	Method of Connection	
Red	IG⊕12V	⊕12V with the key switch ON	DCV	Wiring at the back of key switch	Mouth of cigarette lighter socket	Key switch OFF = 0V Key Switch ON =⊕12V	Use Wire Connector and connect firmly
White	Water Spray Signal	Specified wiring of timer unit (See Diagram Below)	DCV	Specified wiring	Mouth of cigarette lighter socket	Water Spray Switch OFF = 0V ON =⊕12V	Use Wire Connector and connect firmly
Green	(IG⊕12V)	⊕12V with the key switch ON	DCV	The same as	the red cord	Same position as red cord is possible	Use Wire Connector and connect firmly
Black	(Body earth)	(Screw which ) is grounded )	Ω	Mouth of cigarette lighter socket	Screw to which you want to fasten	Conductivity Present (about 0 Ω)	Connect together firmly

### Troubleshooting

Troubleshooting	*Please check the following before seeking	ig repair		
Condition	Possible Causes	Possible Solutions		
No Display (No Illumination)	Improper or poor connection of White Wire Improper or poor connection of Black Wire	Check the wire connections and conditions.		
Err appears.	Improper or poor connection of White Wire Improper or poor connection of Green Wire The fuse to Green Wire is blown.  The Slide Switch position is incorrect	Check the wire connections and conditions. Check the wire connections and conditions. Check fuse and if need be change (10A) Adjust Switch according to the connection method.		
appears.	·Water level in tank is low.	Add water. After adding, by pushing START for two seconds or more the unit will confirm water level and the display will return to normal.		
There is no water in tank but no such indication in display.	The unit is not initialized.	-Initialize Unit		
	•The Low Water Level Auto-Stop Function is OFF	•Turn the function ON.		
	In some cases such troubles are caused by certain characteristics and conditions	Initialize the unit again.		
Display indicates low water level, but tank has enough water.		Initialize the unit again.		

Upon turning ON the standard water spray switch the display indicates tank is empty.



In some cases, when the Low water level auto-stop function is ON, and the standard spray switch is turned ON, the water level will appear empty. This is not a malfunction.

If you wish to use the standard spray switch, make sure to turn OFF the Auto-stop Function.

## PIVOT CORPORATION

87-3 SHIMO-OKADA OKADA MATSUMOTO-SHI NAGANO 390-0313 TEL0263-46-5901

which you want

(Conductivity present)

firmly

cigarette

lighter socket

\earth

can be grounded,

Same as black cord

(Conductivity present)

firmly

can be grounded,

earth /